Be there even when you're not

The HP EliteOne 870 AiO empowers your team to be at their best with experiences that delight users and IT. Featuring a new sleek design, the latest Intel® processor², and packed with a new set of premium collaboration tools, it's ready for all your demanding projects and virtual conferences.

Make connecting personal

Bring your meetings to life with the HP EliteOne 870 AiO an optional 16MP (4MP Binned) Camera³ with Auto Frame⁴ that tracks you as you move in the camera's field of vision and Dynamic Voice Leveling^{4,5} that follows your voice.

Power and style

Set your office or workspace apart from the ordinary with the sophisticated and sleek design of the HP EliteOne 870 AiO. Powered by the latest Intel® processor² it's ready for all your demanding projects and virtual conferences.

Protected by HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.⁶



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

At least 50 percent of all plastic used in this PC is post-consumer recycled plastic. The outer box packaging is 100 percent sustainably sourced. This PC is ENERGY STAR® certified and EPEAT® registered in 23 countries.



Featuring

Stand up and be heard

Dynamic Voice Leveling4automatically enhances microphone gain to optimize voice clarity within 3-meters of the PC.Al Noise Reduction⁴ uses noise-filtering technology to enhance audio conferencing even while wearing a mask.⁴

Wake and lock with your presence

Wake your PC when you approach it and lock it when you leave with HP Auto Lock and Awake. An advanced proximity sensor detects your presence and triggers the camera and Windows Hello to confirm your identity and unlock your PC.¹⁰

Dual video stream

Support for dual video streams and camera switching with Multi-Camera Experience software makes it easy to stream one video of an object while the other camera stays on you.¹¹

HP Auto Frame

With Auto Frame, the camera and audio follow you or multiple presenters as they move within the camera's frame with presets that focus on your head, head and shoulders, or head and torso.⁴

Take command of your space

Help workspaces remain clutter free with built in cable management incorporated into the beautifully designed HP EliteOne 870 AiO.¹²

Get going fast

Your PC keeps working even when you're not with Modern Standby. When you wake the PC it's ready to work, meaning your email, notifications, and updates have all been updating themselves while the PC is asleep and connected to a network.¹³

Safety first

TÜV certified HP Eye Ease low blue light anti-glare panels help remove blue light waves while preserving vivid color accuracy.

Use your AiO as a display

Extend the use of your AiO PC with Monitor Mode that allows you to bypass all but the display component of the device and use it as a display when connected to another PC through HDMI-in.¹⁴

Automatic recovery from firmware attacks

Firmware attacks can completely devastate your PC. Stay protected with HP Sure Start, the self-healing BIOS that automatically recovers itself from attacks or corruption. 15

Keep your PC's security protections in place

Stop unwanted changes to security settings and help limit the spread of malware with HP Sure Run which identifies, quarantines, and provides reporting on attackers trying to kill processes. 16



Technical specifications

Technical specifications		
Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home - HIP recommends Windows 11 Pro for Business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business ¹ FreeDOS	
Processor family ⁴	13th Generation Intel® Core® 19 processor 13th Generation Intel® Core® 7 processor 13th Generation Intel® Core® 15 processor 13th Generation Intel® Core® 15 processor 13th Generation Intel® Core® 18 processor 12th Generation Intel® Core® 19 processor 12th Generation Intel® Core® 17 processor 12th Generation Intel® Core® 18 processor 12th Generation Intel® Core® 18 processor 12th Generation Intel® Core® 18 processor Intel® Core® 13 14th generation processor Intel® Core® 13 14th generation processor Intel® Core® 17 14th generation processor Intel® Core® 17 14th generation processor Intel® Core® 19 14th generation processor	
Available Processors ^{9,5,6}	Intel® Core® 15-2800 with Intel® UHD Graphics (3.3 GHz P-core base frequency, up to 4.8 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 12 threads), supports Intel® VPro® Technology Intel® Core® 15-2800 with Intel® UHD Graphics (3.0 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 2 threads), Intel® Core® 15-2800 with Intel® UHD Graphics (3.5 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 2 threads), Intel® Core® 15-2800 with Intel® UHD Graphics (3.5 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads), Intel® Core® 15-2800 with Intel® UHD Graphics (3.6 GHz P-core base frequency, up to 4.3 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads), Intel® Core® 15-2800 with Intel® UHD Graphics (1.6 GHz P-core base frequency, 24 GHz P-core base frequency, up to 3.8 GHz P-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 4.9 GHz with Intel® Turbo Boas Intel® Core® 17-2800 with Intel® 16-00 GHz P-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 4.9 GHz with Intel® Turbo Boas Intel® Core® 17-2800 with Intel® 16-00 GHz P-core Max Turbo frequency, up to 4.9 GHz with Intel® 18-00 GHz P-core Max Turbo frequency, up to 4.9 GHz P-core base frequency, up to 4.9 GHz P-core Max Turbo frequency, up to 4.9 GHz P-core base frequency, up to 4.9 GHz P-core Max Turbo frequency, 20 MB L3 cache, 8 P-cores and 8 E-cores, 20 threads), Intel® Core® 15-3500 (1.6 GHz	
Chipset ³	Intel® Q670 (vPro®)	
Form factor	All-in-one	
Maximum memory	64 GB DDR5-5600 SDRAM; ^{8,9} Transfer rates up to 5600 MT/s.	
Memory slots	2 SODIMM	
Memory slots Internal storage		
<u> </u>	2 SODIMM 256 GB up to 512 GB PCle* NVMe** SED Opal 2 TLC M.2 SSD ^{10,33} 256 GB up to 2 TB PCle* NVMe** TI C M.2 SSD ^{10,33}	
Internal storage	2 SODIMM 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCle* NVMe* TLC M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* TLC M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* M.2 SSD ^{10,33} 27 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440),	
Internal storage Display	2 SODIMM 256 GB up to 512 GB PCle* NVMe" SED Opal 2 TLC M.2 SSD ^{10,33} 256 GB up to 5 TEP Cle* NVMe" TLC M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" M.2 SSD ^{10,33} 27° diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27° diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27° diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27°) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27°) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC	
Internal storage Display Available Graphics	2 SODIMM 256 GB up to 512 GB PCle* NVMe" SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" TLC M2 SSD ^{10,33} 27' diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27' diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27' diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27') diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27') diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX* 3050 Ti (4 GB GDDR6 dedicated)	
Internal storage Display Available Graphics Audio	2 SODIMM 256 GB up to 512 GB PCle* NVMe" SED Opal 2 TLC M.2 SSD ^{10,33} 256 GB up to 2 TB PCle* NVMe" TLC M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" M.2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" M.2 SSD ^{10,33} 27° diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27° diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27° diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27°) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27°) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX* 3050 Ti (4 GB GDDR6 dedicated) Audio by Bang & Olufsen, 5 W stereo speakers, headset and headphone side ports (3.5 mm), high performance integrated stereo speakers	
Internal storage Display Available Graphics Audio Wireless technologies	2 SODIMM 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ^{10,33} 27d diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX* 3050 Ti (4 GB GDDR6 dedicated) Audio by Bang & Olufsen, 5 W stereo speakers, headset and headphone side ports (3.5 mm), high performance integrated stereo speakers Intel* Wi-Fi 6E AX211 (2x2) and Bluetooth* 5.3 wireless card, vPro*, Intel* Wi-Fi 7 BE200 (2x2) and Bluetooth* 5.4 wireless card, non-vPro*	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots	2 SODIMM 256 GB up to 512 GB PCle* NVMe" SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe" M2 SSD ^{10,33} 27 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27" diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27" diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27") diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated: Intel* UHD Graphics 730; intel* UHD Graphics 770 Discretex: NVIDIA* GeForce RTX** 3050 Tl (4 GB GD)RG dedicated) Audio by Bang & Olufsen, 5 W stereo speakers, headset and headphone side ports (3.5 mm), high performance integrated stereo speakers Intel* WI-FI GE AX211 (2x2) and Bluetooth* 5.3 wireless card, vPro*; Intel* WI-FI 7 BE200 (2x2) and Bluetooth* 5.4 wireless card, non-vPro* 1M2 2230; 3 M2 2280 (1 M2 2230 slot for WLAN and Bluetooth* combo. 3 M2 2280 for NVMe SSD for storage one attached to CPU PCle Gen 4.0 and two attached to PCH PCle Gen 3.0) Left side: 1 headphone/microphone combo: Right side: 1 USB Type-C* 20Gbps signaling rate (charging); 1 USB Type-A 10Gbps signaling rate;	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors	2 SODIMM 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCle* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* M2 SSD ^{10,33} 27" diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27" diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27" diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27") diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27") diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27") diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27") diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27") diagonal, OHD (2560 x 1440	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices	2 SODIMM 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCle* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* M2 SSD ^{10,33} 256 GB up to 512 GB PCle* NVMe* M2 SSD ^{10,33} 27 diagonal, PHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68.6 cm (27*) diagonal, PHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX* 3050 Ti (4 GB GDDR6 dedicated) Audio by Bang & Olufsen, 5 W stereo speakers, headset and headphone side ports (3.5 mm), high performance integrated stereo speakers Intel* WHFi 6E AX211 (2x2) and Bluetooth* 5.3 wireless card, vPro*, Intel* WHFi 7 BE200 (2x2) and Bluetooth* 5.4 wireless card, non-vPro* 1M2 2230; 3 M2 2280 (1 M2 2230 slot for WLAN and Bluetooth* combo. 3 M2 2280 for NVMe SSD for storage one attached to CPU PCle Gen 4.0 and two attached to PCH PCle Gen 3.0) Left side: 1 headphone/microphone combo; Right side: 1 USB Type-C* 200bps signaling rate (charging); 1 USB Type-A 100bps signaling rate; 2 USB Type-A 50bps signaling rate; 1 HDMH·in 1.4; 1 dual-mode DisplayPort* 1.4; 1 RJ-45 HP Wired Desktop 320MK Mouse and Keyboard; HP USB Business Slim SmartCard CCID Keyboard; HP 655 Wireless Keyboard and mouse combo; HP 455 Wireless Programmable Keyboard; HP 125 Wired Mouse; HP 128 Loser Wired Mouse	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices Communications	256 GB up to 512 GB PCle* NVMe** SED Opol 2 TLC M2 SSD**0.33 256 GB up to 512 GB PCle* NVMe** TLC M2 SSD**0.33 256 GB up to 512 GB PCle* NVMe** TLC M2 SSD**0.33 256 GB up to 512 GB PCle* NVMe** M2 SSD**0.33 256 GB up to 512 GB PCle* NVMe** M2 SSD**0.33 27 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 886 cm (27*) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 68.6 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDA** GeForce RTX** 3050 Til (4 GB SDDR8 dedicated) Audio by Bang & Olufsen, 5 W stereo speakers, headset and headphone side ports (3.5 mm), high performance integrated stereo speakers Intel* WH-FI 6E AX211 (2x2) and Bluetooth* 5.3 wireless card, vPro*, Intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5.4 wireless card, non-vPro* 1M2 2230; 3 M2 2280 (1 M2 2230 slot for WLAN and Bluetooth* combo. 3 M2 2280 for NVMe SSD for storage one attached to CPU PCie Gen 4.0 and two attached to PCH PCie Gen 3.0) Left side: 1 headphone/microphone combo: Right side: 1 USB Type-C* 20Gbps signaling rate (charging): 1 USB Type-A 10Gbps signaling rate; 2 USB Type-A 5Gbps signaling rate; 1 HDMI-in 1.4; 1 dual-mode DisplayPort** 1.4; 1.8; 45 HP Wired Desktop 320MK Mouse and Keyboard; HP USB Business Slim SmartCard CCID Keyboard; HP 655 Wireless Keyboard and mouse combo; HP 455 Wireless Programmable Keyboard; HP 125 Wired Mouse; HP 128 LAN: Intel* 1219-LM PCie* GbE NIC, vPro*	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices Communications Camera	2 SODIMM 256 GB up to 512 GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCie* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCie* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 2 TB PCie* NVMe* TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCie* NVMe* TLC M2 SSD ^{10,33} 257 Glagonal, PHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 286 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 686 cm (27*) diagonal, PHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27*) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72%	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices Communications Camera Environmental	2 SODIMM 256 GB up to 512 GB PCle* NVMe* SED Opd 2 TLC M2 SSD ^{03,30} 256 GB up to 512 GB PCle* NVMe* LS SSD ^{03,30} 256 GB up to 512 GB PCle* NVMe* LS SSD ^{03,30} 256 GB up to 512 GB PCle* NVMe* LS SSD ^{03,30} 256 GB up to 512 GB PCle* NVMe* LS SSD ^{03,30} 27 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC. 27 diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC, 27 diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 868 cm (277) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 72% NTSC. 686 cm (277) diagonal, OHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC, 686 cm (277) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated Integrated Intel* UHD Graphics 730 intel* UHD Graphics 730 Discrete NVIDIA* Geforac RTX* 3050 Til (4 GB GDDR6 dedicated) Audio by Bang & Olufsen, 5 W stereo speckers, headset and headphone side ports (3.5 mm), high performance integrated stereo speckers Intel* WH-FI 6E AX211 (2x2) and Bluetooth* 5-3 wireless card, vPro* Intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*, intel* WH-FI 7 BE200 (2x2) and Bluetooth* 5-4 wireless card, vPro*,	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices Communications Camera Environmental Software	2 SODIMM 256 GB up to 52 GB PCIeF NNAe" SED Ope 12 TLC M2 SSD ^{10,13} 256 GB up to 2 TB PCIeF NNAe" TLC M2 SSD ^{10,13} 256 GB up to 2 TB PCIeF NNAe" TLC M2 SSD ^{10,13} 256 GB up to 2 TB PCIeF NNAe" TLC M2 SSD ^{10,13} 257 diagonal, FHD (1820 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 27* diagonal, OHD (2560 x 1440), Ibush, IPS, 300 nits, 72% NTSC; 686 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 686 cm (27) diagonal, FHD (1820 x 1080), IPS, anti-glare, 250 nits, 72% NTSC; 686 cm (27) diagonal, OHD (2560 x 1440), Ibush, IPS, 300 nits, 72% NTSC; 686 cm (27) diagonal, OHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated Linde" UHD Graphics 730; Intel® UHD Graphics 740 Discrete NVIDA" Genotics 730; Intel® UHD Graphics 740; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, VPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetooth' 54 wireless card, vPro"; Intel® WHT 7 BE200 (242) and Bluetoo	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices Communications Carnera Environmental Software Available software	250 GB up to 512 GB PCie* NVMe** SED Opd 2 TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCie* NVMe** TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCie* NVMe** TLC M2 SSD ^{10,33} 256 GB up to 512 GB PCie* NVMe** M2 SSD ^{10,33} 277 diagonal, PH Q1690 x 1080, IP Sc ontri glare, 250 nits, 72% NTSC; 277 diagonal, QHD (2560 x 1440), touch, IPS, 300 nits, 72% NTSC; 277 diagonal, QHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68 dc mi(27) diagonal, PH Q1690 x 1080, IPS, anti-glare, 250 nits, 72% NTSC; 68 dc mi (27) diagonal, QHD (2560 x 1440), IPS, 300 nits, 72% NTSC; 68 dc mi (27) diagonal, QHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC 68 dc mi(27) diagonal, PH Q1690 x 1080, IPS, anti-glare, 250 nits, 72% NTSC; 68 dc mi (27) diagonal, QHD (2560 x 1440), IPS, 300 nits, 72% NTSC; 68 dc mi (27) diagonal, QHD (2560 x 1440), IPS, anti-glare, 250 nits, 72% NTSC NTSC Integrated intel* UHD Graphics 730. Intel* UHD Graphics 730 Discrete in NUMF, 450 GB (2560 deducted) Audio by Bang & Olufsen, 5 W stereo speckers, headest and headphone side ports (3.5 mm), high performance integrated stereo speckers Intel* WI-F1 GE AX211 (2x2) and Bluetooth* 5.3 wireless card, vPro*; Intel* WI-F1 7 BE200 (2x2) and Bluetooth* 5.4 wireless card, non-vFro* 1M2 2230, 3 M2 2280 (If M2 2230 slot for WI.AN and Bluetooth* combo, 3 M2 2280 for NVMe SSD for storage one attached to CPU PCie Gen 4.0 and two attached to PCH PCie Gen 3.0 Left side: 1 beadphone/microphone combo; Right side: 1 USB 1ype- 7 Sides signaling rate (blarging); 1 USB 1ype A 10Gbps signaling rate; Right side: 1 USB 1ype- 7 Sides signaling rate (blarging); 1 USB 1ype A 10Gbps signaling rate; Right side: 1 USB 1ype- 7 USB 1ype- 8 USB 1ype A 10Gbps signaling rate; Right side: 1 USB 1ype- 7 USB 1ype- 8 USB 1ype A 10Gbps signaling rate; Right side: 1 USB 1ype- 7 USB 1ype- 8 USB 1ype A 10Gbps signaling rate; Right side: 1 USB 1ype- 7 USB 1ype- 8 USB 1ype-	
Internal storage Display Available Graphics Audio Wireless technologies Expansion slots Ports and connectors Input devices Communications Camera Environmental Software Available software Security management	250 GBL pto 15 BP Cle* NAMe* SED Opd 2 TLC M 2 SSD***33 256 GBL pto 15 TR Cle* NAMe* TLC M 2 SSD***33 256 GBL pto 15 TR Cle* NAMe* TLC M 2 SSD***33 256 GBL pto 15 TR Cle* NAMe* TLC M 2 SSD***33 257 GBL pto	



Technical specifications

Management features	HP Client Catalog (download); HP Driver Packs (download); HP Image Assistant (download); HP Client Management Script Library (download); HP Connect for Microsoft Endpoint Manager; HP Manageability Integration Kit (download); HP Patch Assistant (download); HP CECP Enabled Configuration 12,13,14
Memory card device	15-in-1 SD media card reader
Power	240 W internal power supply, up to 92% efficiency, active PFC; 280 W internal power adapter, up to 92% efficiency, active PFC
Dimensions	24.17 x 9.72 x 23.6 in; 61.4 x 24.7 x 59.95 cm; 29.21 x 9.33 x 25.20 in 74.2 x 23.7 x 64.0 cm (Package)
Weight	25.57 lb; 11.6 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT registered with Climate+
Energy star certified	ENERGY STAR® certified
Certification and compliance	TCO 8.0; TUV Low Blue Light; TUV Low Noise
Sustainable impact specifications	Ocean-bound plastic in speaker enclosure; 40% post-consumer recycled plastic; 30% ITE-derived closed loop plastic; Low Halogen; 80 Plus* Platinum power supplies available ^{29,30,31,32}
Display color gamut	72% NTSC



Footnotes

Messaging Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

 3 Optional feature that must be configured at the time of purchase. Pixel binning provides a final output resolution of 4MP per still or video image.
- ⁴ Requires Windows 11 OS.
- ⁵ Dynamic Voice Leveling functions within 3 meters of the PC.
- ⁶ HP Wolf Security for Business requires Windows 10 or 11 and higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features and
- Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

 8100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic.
- 9 Based on US EPEAT" registration according to IEEE 1680.1-2018 EPEAT". EPEAT" status varies by country. Visit www.epeat.net for more information.
- 10 Requires Windows 10 and higher and set up of facial recognition through Windows Hello.
- 10 Dual video streams and camera switching with Multi-Camera requires second camera that is sold separately or as an optional feature and requires myHP application and Windows OS.
- ¹² Optional feature that must be configured at the time of purchase.
- 13 Requires Windows 10 and higher and internet access
- 14 HDMI cable is sold separately.
- $^{\rm 15}$ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher.
- ¹⁶ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher

Specification Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- ³ For full Intel" vPro" functionality, Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See http://intel.com/vpro
- ⁴ Your product does not support Windows 8 or Windows 7. In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel® and AMD 7th
- generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com.

 Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- ⁶ Intel[®] Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.
- BDDR5 memory modules support data transfer rates up to 5600 MT/s on i514600, i714700, and i914900 processors. All other processors support up to 4800 MT/s, following Intel's design guideline. Actual data rate is determined by the system configuration.
- ⁹ All memory slots are customer accessible / upgradeable.
- 10 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows) of disk is reserved for system recovery software.
- 11 Sold separately or as an optional feature.
- 12 HP Connect for Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro, Elite, Z and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager required and sold separately. Network connection required.
- 13 HP Patch Assistant available on select HP PCs with the HP Manageability Kit that are managed through Microsoft System Center Configuration Manager. HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html.
- ¹⁴ HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement.
- $^{\rm 15}\,\rm myHP$ requires Windows OS.
- 16 HP Quick Drop requires Internet access and Windows 10 or higher PC preinstalled with HP QuickDrop app and either an Android device (phone or tablet) running Android 7 or higher with the Android HP QuickDrop app, and /or an IOS device (phone or tablet) running IOS 12 or higher with the IOS HP QuickDrop app.

 17 HP Support Assistant requires Windows and Internet access.
- 18 HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, thru HP Factory
- Configuration Services; or it can be downloaded. For more information about how to enable HP Smart Support or for download, please visit http://www.hp.com/smart-support.

 19 HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details. ²⁰ HP Sure Sense is available on select HP PCs with Windows 10 Pro, Windows 10 Enterprise, Windows 11 Pro, or Windows 11 Enterprise OS.
- ²¹ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher.
- 22 HP Sure Recover Gen5 with Embedded Reimaging is an optional feature which requires Windows 10 and higher must be configured at purchase. You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Network based recovery using Wi-Fi is only available on PCs with Intel Wi-Fi Module.
- ²³ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher
- ²⁴ HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple
- ²⁵ HP Client Security Manager Gen7 requires Windows and is available on the select HP Elite and Pro PCs.
- ²⁶ HP BIOSphere Gen6 features may vary depending on the platform and configuration.
- 27 HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane®.
- 28 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/legal/agreements/absolute/ ²⁹ External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen. ³⁰ Percentage of ocean-bound plastic contained in each component varies by product.

- ³¹ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. 32 ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- 33 Starting from November 1st 2023, all shipments will require Windows to be installed on SSD to provide users a better experience. HDD can only be configured as additional data drives and not the boot drive.
- s access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 802.11 specs
- 35 The HP 800 G9 All-in-one requires Intel® 13th Gen processor to support Wi-Fi 6E and requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. Available in countries where Wi-Fi 6E is supported. For HP 800 G9 All-in-one without Intel® 13th Gen processors, the product does not support Wi-Fi 6E standard and does not operate under 6GHz band. The product is compatible with 6GHz and other routers, sold separately, which have capability to operate in 2.4GHz and 5GHz, in compliance with Wi-Fi 6 and prior 80211 specs. The actual throughput depends on network condition and router configuration. Internet service required and public wireless access points are limited add: Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 7 (802.11BE) functionality requires Windows 11 2024, Intel * Core * 14th gen processors, and a Wi-Fi 7 router, sold separately. Wi-Fi 7 is backwards compatible with prior 802.11 specs. Available in countries where Wi-Fi 7 is supported. The specification for 802.11BE is a draft specification and is not final. If the final specification differs from the draft specification, it may affect the ability of the device to communicate with other 802.11BE devices. Fe HP Wolf Pro Security Edition (including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: "7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thirty-six (36) month license term ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be lighted for technical or editorial errors or omissions contained herein. Intel[®]; the Intel logo, Intel Core, Péro[®]; Optione[®]; and Core inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Bulletoth[®] is the Corporation or its subsidiaries in the United States and other countries. Bulletoth[®] is the Corporation or its subsidiaries in the United States and other countries. AMD is a registered trademark of its project, and use of the U.S. Environmental Protection Agency, DisplayFort[®] and the DisplayFort[®] logo are trademarks owned by the Video Electronics Standards Standard Advanced Micro Devices, Inc. All other trademarks are the property of their respective owners.

