Technical Specifications

HP E32k G5 4K USB-C Monitor




Front

3. LED Power

Ambient Light Sensor
 Power Button

Technical Specifications

HP E32k G5 4K USB-C Monitor



- 1. Joypad OSD button
- 2. Security Cable Slot
- 3. Power Connector
- 4. HDMI 2.0 Port
- 5. DisplayPort[™] 1.4

Rack

- **6.** SuperSpeed USB Type-C[®] 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort[™] 1.4)
- 7. RJ-45 Port
- 8. SuperSpeed USB Type-A 5Gbps signaling rate
- 9. SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 15W USB Power Delivery)
- **10.** SuperSpeed USB Type-A 5Gbps signaling rate (2, 1 charging)

Technical Specifications

Model: 6N4D6AA

Panel SpecificationsDisplay Size (Diagonal)31.5" (80.0 cm)Viewable Diagonal Size31.5" (80.0 cm)

Panel Technology IPS
Max Refresh Rate 60 Hz

Native Resolution 4K UHD (3840 x 2160)
Panel Bit Depth 10 bit (8 bit + FRC)

Aspect Ratio 16:9
Brightness (Typical) 350 nits
Contrast Ratio (Static) 1000:1

Dynamic Contrast Ratio 8000000:1 =8M:1

Flicker Free Yes

Pixel Pitch 0.18 x 0.18 mm

Pixels Per Inch (PPI) 140 PPI

Display ColorsUp to 1.07 billion colors supported*

*Number of colors available thru A-FRC.

Backlight Lamp Life Minimum (To Half

Brightness - In Hours)

Backlight Type Edge-lit
Screen Treatment Anti-glare

Hardness3HHaze25%

Response Time (Typical) 5ms GtG (with overdrive)

Horizontal Viewing Angle
(Typical Cr>10)
Vertical Viewing Angle (Typical Cr>10)
178°

Panel Active Area Metric (W X H) 69.73 x 39.22 cm Panel Active Area Imperial (W X H) 27.45 x 15.44 in

NOTE: Performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Color sRGB 99%

Color Management Color Space/ Subsampling Support RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2

RGB Channel Adjust Yes, Gain

Default Color Temperature Neutral (6500K)

Factory Color Calibrated Yes (Color Temperature)

Factory Color Presets Warm - 5000K, Neutral - 6500K,

Cool - 9300K

Monitor Specifications Bezel Type 3-sided borderless

Color Of Stand Black & Silver

Color Of Head Black
Tilt -5°~+20°
Swivel ±45°
Pivot ±90°
Height Adjust Range 150 mm

Technical Specifications

Vesa Mounting100 mm x 100 mmSecurity LockSecurity lock-ready

Detachable Stand Yes

Warranty 3/3/0 for LA, NA, EMEA, APJ (3/3/3 in select APJ Countries)

Low Blue Light

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution

certified)

Speaker Output Power 2x3 W

Management Software

HP Display Center*

HP Client Management Script Library (CMSL)**

*Host PC requires Windows 10 and above. HP Display Center is

available on the Microsoft store.

** HP CMSL is only supported on 64-bit PowerShell 5.1 and higher. CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to legacy displays.

Visit support.hp.com to download HP CMSL.

On Screen Display (OSD)

On Screen Display Brightness+, Color, Image, Input, Power, Menu,

Management, Information, Exit

Native Resolution 4K UHD (3840 x 2160)

Maximum Resolution 4K UHD (3840 x 2160 @ 60 Hz)

Preset Graphic Modes/Supported 640 x 480 @60Hz **Resolutions** 720 x 400 @70Hz

800 x 600 @60Hz 720 x 480 @60Hz 1024 x 768 @60Hz 1280 x 720 @50Hz 1280 x 720 @60Hz 1280 x 1024 @60Hz 1440 x 900 @60Hz 1600 x 900 @60Hz 1600 x 1200 @60Hz 1680 x 1050 @60Hz

1920 x 1080 @60Hz 1920 x 1200 @60Hz 2560 x 1440 @60Hz 3840 x 2160 @30Hz 3840 x 2160 @60Hz

Minimum Vertical Scan Rate30 HzMaximum Vertical Scan Rate60 HzMinimum Horizontal Scan Rate30 HzMaximum Horizontal Scan Rate135 HzMaximum Pixel Clock600 MHzUser Programmable ModesYes, 20

User-Assignable Function ButtonsYes, 4 (6 options)AudioBuilt-in 2x3W speakers

11 (English, Spanish, German, French, Italian,

Languages Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese

and Russian)

Technical Specifications

Connector Types DisplayPort™ 1.4 1 DisplayPort™ 1.4

HDMI 1 HDMI 2.0

HDCP Yes, DisplayPort[™], HDMI and USB Type-C[®]

USB Type-C® Video Input

1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to

65W USB Power Delivery, Alt Mode DisplayPort™ 1.4)

USB Type-C® Data

1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to

15W USB Power Delivery)

USB- A3 SuperSpeed USB Type-A 5Gbps signaling rate (1

charging)

Ethernet 1 RJ-45 (10/100/1000 Mbps)

Special Features SWITCH Monitor Power button

Next Active Input / Up button

Audio / Down button
Brightness / Left button
Color / Right button
Menu / Enter button

Remote Manageability*,*** Through HP Client Management Script Library (CMSL),

In-Band MAC Address Pass Through (MAPT),

In-Band Wake on LAN (WoL),

PXE Boot,

Out-of-Band MAC Address Pass Through (MAPT),

Out-of-Band Wake on LAN (WoL).

*Not all notebooks support remote manageability.

**Out-of-band manageability only available with HP G7, G8 and G9 HP notebooks and not supported on non-HP devices.

User Presets 11

User Updateable Firmware Yes

Other Special Features Ambient Light Sensor, Single Power On

Power & Operating

Specs

Power Supply Internal

Power Source 100 – 240 VAC 50/60 Hz

Power Consumption- Max210 WEnergy Saving/Stand By Mode0.5 WPower Consumption - Typical39 W

Energy Star Data Operational Mode at 100 VAC 26.8 W

Operational Mode at 115 VAC 26.6 W **Operational Mode at 230 VAC** 26.3 W

EU Energy Efficiency Class (ErP LOT-5)

Operating Conditions

On-mode Power Consumption for Standard Dynamic Range (SDR) ErP LOT5 Energy Efficiency Class for

32.4 W

5° – 35°C

ErP LOT5 Energy Efficiency Class for Standard Dynamic Range (SDR)

Operating Temperature - Celsius

ard Dynamic Range (SDR)

Operating Temperature - Fahrenheit $41^{\circ} - 95^{\circ}$ F Non-Operating Temperature - Celsius $-40^{\circ} - 65^{\circ}$ C

Technical Specifications

Non-Operating Temperature - -40° – 149°F

Fahrenheit

Operating Humidity 20 – 80% Relative Humidity (non-condensing)

Non-Operating Humidity 5-95%

 $\begin{array}{ll} \textbf{Operating Altitude} & 0-5,000 \text{ m (16,400 ft.)} \\ \textbf{Non-operating Altitude} & 0-12,192 \text{ m (40,000 ft.)} \\ \end{array}$

Certifications and Compliances Low Halogen Yes*

*External power supplies, WWAN modules, power cords, cables

and peripherals excluded.

Agency Approvals and Certifications WW application

CE/CB/KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-307/ EAC/UL/CSA/CCC/CEL/CECP/SEPA/TCO/TCO Certified

Edge/Energy

Win 10, Win 11

Star/ISC/VCCI/FCC/BSMI/WEEE/PSE/cTUVus/BIS/UAE/Ukra

ine EE/E-Standy(Korea MEPS)/NRCS/TGM

Microsoft WHQL Certification ENERGY STAR® Certified

Yes

EPEAT® Registered

Regions need to verify by country

EPEAT® Gold in United States*

*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit

http://www.epeat.net for more information.

CEL Grade 2*

China Energy Label *Monitors produced from June 2024 comply with China

regulation GB 21520-2023.

TCO Certified Edge Yes
TCO Certified Yes

SmartWay Transport Partnership - NA Y

only

Yes (NA sku)

Contains Recycled Plastics

Contains Recycled Plastics Contains ocean-bound recycled plastic*; 70% ITE-derived

closed loop plastic**

*All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by

product.

**ITE Derived Closed Loop Plastic percentage is based on the

definition set in the IEEE 1680.1-2018 standard.

Recycled Metals At least 25% recycled metal*

*Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts

over 25 grams.

Recyclable Packaging (Box, packing

materials)

Outside Box and corrugated cushions are 100%

sustainably sourced and recyclable*

*100% outer box packaging and corrugated cushions made from

sustainably sourced certified and recycled fibers.

Unit Product/Package Product Dimensions <u>Metric</u> <u>Imperial</u>

Specifications

(Unpacked with stand) (W x D x H)

71.4x22.7x60.34 cm

28.11x8.94x23.76 inch



Technical Specifications

Pallet Information

IONS		
Product Dimensions (Packed) (W x D x H)	82x52.7x16.1cm	32.28x20.75x6.34 inch
Display Head Dimensions	71.4x4.7x42.12 cm	28.11x1.85x16.58 inch
(Unpacked without stand) (W x D x H)	(w/o hinge)	(w/o hinge)
	71.4x7.47x42.12 cm	28.11x2.94x16.58 inch
	(w/ hinge)	(w/ hinge)
Base Area Footprint	256 x 205 mm	10.08 x 8.07 inch
(w x d mm)		
Bezel Measurements	Bottom: 18.1 mm	Bottom: 0.71 inch
Product Weight	8.4 kg	18.52 lb
(Unpacked with stand)		
Product Weight	11.76 kg	25.93 lb
(Packed)		
Product Weight	5.94 kg (w/o hinge)	13.1 lb (w/o hinge)
(Head Only)	6.32 kg (w/ hinge)	13.93 lb (w/ hinge)
Pallet Dimensions	Slip Sheet:	Slip Sheet:
(L x W x H mm)	1135 x 828 x 2117 mm	44.69 x 32.6 x 83.35 inch
	(20' ft & 40' ft)	(20' ft & 40' ft)
	Slip Sheet:	Slip Sheet:
	1135 x 828 x 2117 mm	44.69 x 32.6 x 83.35 inch
	(40 HQ)	(40 HQ)
	Pallet:	Pallet:
	1135 x 828 x 2249 mm	44.69 x 32.6 x 88.54 inch
	(20' ft & 40' ft)	(20' ft & 40' ft)
	Pallet:	Pallet:
	1135 x 828 x 2249 mm	44.69 x 32.6 x 88.54 inch
	(40 HQ)	(40 HQ)
Pallet Total Weight	Slip Sheet:	Slip Sheet:
	334.42 kg (20' ft & 40' ft)	737.28 lbs (20' ft & 40' ft)
	Slip Sheet:	Slip Sheet:
	334.42 kg (40 HQ)	737.28 lbs (40 HQ)
	Pallet:	Pallet:
	347.57 kg (20' ft & 40' ft)	766.25 lbs (20' ft & 40' ft)
	Pallet:	Pallet:
	347.57 kg (40 HQ)	766.25 lbs (40 HQ)"
Pallet Layers	4 layers per slip sheet	
	4 layers per pallet	
Pallet Product per Layer	7 per layer (slip sheet)	
rattet i rouact per Layer	7 per layer (pallet)	
Total Products per Pallet	28 sets per slip sheet	
Total Todales per Tallet	28 sets per pallet	
Container Load, 20-Foot	392 sets (slip sheet)	
	392 sets (pallet)	
Container Load, 40-Foot	784 sets (slip sheet)	
	784 sets (pallet)	
Container Load, 40-Foot HighQ	784 sets (slip sheet)	
	784 sets (pallet)	



Technical Specifications

What's in the box? AC power cord (1.83m) 5.9ft

USB 3.2 C-C cable (1.0m)

Warranty

Quick Setup Poster

User Guide and Warranty Languages **User Guide Languages**

Warranty Languages

Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH) Turkish (TR), Ukrainian (UK), Vietnamese (VI)

Technical Specifications

ENVIRONMENTAL DATA

ENVIRONMENTAL DATA	ı		
Eco-Label Certifications & declarations	labeled with one or more of IT ECO declaration US ENERGY STAR US Federal Energy EPEAT® Gold registatus in your cou TCO Certified Edg China Energy Con	of these marks: n y Management Program (FE stered in the United States. untry. e servation Program (CECP) onmental Protection Admini	See http://www.epeat.net for registration
Sustainable Impact Specifications		cled plastic ted cushions are 100% sust on inside box is 100% susta	ainably sourced and recyclable iinably sourced and recyclable
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	26.6 W	26.3 W	26.8 W
Normal Operation (Long idle)	26.6 W	26.3 W	26.8 W
Sleep	0.65 W	0.64 W	0.66 W
Off	0.21 W	0.21 W	0.2 W
	NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.		
	Microsoft Willdows - opera	iting system.	
Heat Dissipation*	·		100VAC, 50Hz
Heat Dissipation* Normal Operation (Short idle)	115VAC, 60Hz 91.0 BTU/hr	230VAC, 50Hz 89.9 BTU/hr	100VAC, 50Hz 91.7 BTU/hr
Normal Operation (Short	115VAC, 60Hz	230VAC, 50Hz	
Normal Operation (Short idle) Normal Operation (Long	115VAC, 60Hz 91.0 BTU/hr	230VAC, 50Hz 89.9 BTU/hr	91.7 BTU/hr

attained for one hour.

Technical Specifications

Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.			
Additional Information	 This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. This product is 98.2% recycle-able when properly disposed of at end of life. 			
Packaging Materials	External:	PAPER/Corrugated	2515 g	
		PAPER/Molded Pulp	670 g	
	Internal:	PLASTIC/EPE (Polyethylene Expanded)	48 g	
		PLASTIC/EPE (Polyethylene Expanded)	9 g	
		PLASTIC/EPE (Polyethylene Expanded)	7 g	
	The plastic p	backaging material contains at least 0.0% recycled cor	ntent.	
	The corruga	ted paper packaging materials contains at least 100.0	% recycled content.	
RoHS Compliance	HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.			
	We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.			
	We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve. To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.			
Material Usage	the HP Gener http://www.l • Asb • Cert	does not contain any of the following substances in exal Specification for the Environment at hp.com/hpinfo/globalcitizenship/environment/supply estos rain Azo Colorants rain Brominated Flame Retardants — may not be used a	chain/gen_specifications.html):	
	• Cadı • Chlo • Chlo • Bis()	mium orinated Hydrocarbons orinated Paraffins 2-Ethylhexyl) phthalate (DEHP) zyl butyl phthalate (BBP)	and the second and an plastics	



Technical Specifications

	 Dibutyl phthalate (DBP) Diisobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) Polybrominated Biphenyl Ethers (PBBEs) Polybrominated Biphenyl Oxides (PBBOs) Polychlorinated Biphenyl (PCB) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner. The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP, Inc. Corporate Environmental Information	For more information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf



Technical Specifications

footnotes	 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
	 Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams



Technical Specifications

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.



Summary

Change Log				
April 12, 2023	V1 to V2	Updated	Color Management section	
April 29, 2024	V2 to V3	Updated	China Energy Label	
December 20, 2024	V3 to V4	Updated	HP Client Management Script Library (CMSL) and Footnote	

